

Serial No. 10/780,597

**IN THE CLAIMS:**

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~striketrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please AMEND claims 20, 26 and 32 in accordance with the following:

1-19. (Cancelled)

20. (Currently Amended) A method of displaying a personal connection map that includes a plurality of nodes representing persons and a plurality of links representing personal connections among the persons and strengths of the personal connections, the method comprising:

extracting metadata of the persons from among ~~electronic data~~ documents that include information about the persons;

linking the metadata extracted based on a co-occurring relationship of the information about the persons in the ~~electronic data~~ documents;

storing the metadata linked as secondary metadata into a database;

retrieving, from the database, secondary metadata that satisfy a filter condition; and

displaying the personal connection map graphically based on the secondary metadata retrieved.

21. (Previously Presented) The method according to claim 20, wherein the displaying includes displaying, when a closed loop is formed by N nodes and N links in the personal connection map, the personal connection map from which a first link representing a weakest personal connection among the N links is eliminated so that the personal connection map has a tree structure and includes the N nodes and N-1 links other than the first link, where N is an integer greater than one.

22. (Previously Presented) The method according to claim 20, wherein the nodes are correlated with a time-line in the personal connection map.

Serial No. 10/780,597

23. (Previously Presented) The method according to claim 20, further comprising displaying, when a plurality of nodes are selected from the personal connection map, a suitable venue for assembly of persons represented by the nodes selected.

24. (Previously Presented) The method according to claim 23, further comprising displaying an effect on an environment caused by the persons assembling to the venue.

25. (Previously Presented) The method according to claim 24, wherein the effect on the environment is CO<sub>2</sub> emission.

26. (Currently Amended) A computer-readable medium encoded with a computer program for displaying a personal connection map that includes a plurality of nodes representing persons and a plurality of links representing personal connections among the persons and strengths of the personal connections, comprising:

extracting metadata of the persons from among electronic data documents that include information about the persons;

linking the metadata extracted based on a co-occurring relationship of the information about the persons in the electronic data documents;

storing the metadata linked as secondary metadata into a database;

retrieving, from the database, secondary metadata that satisfy a filter condition; and

displaying the personal connection map graphically based on the secondary metadata retrieved.

27. (Previously Presented) The computer-readable medium according to claim 26, wherein the displaying includes displaying, when a closed loop is formed by N nodes and N links in the personal connection map, the personal connection map from which a first link representing a weakest personal connection among the N links is eliminated so that the personal connection map has a tree structure and includes the N nodes and N-1 links other than the first link, where N is an integer greater than one.

28. (Previously Presented) The computer-readable medium according to claim 26, wherein the nodes are correlated with a time-line in the personal connection map.

Serial No. 10/780,597

29. (Previously Presented) The computer-readable medium according to claim 26, wherein the computer program further causes the computer to execute displaying, when a plurality of nodes are selected from the personal connection map, a suitable venue for assembly of persons represented by the nodes selected.

30. (Previously Presented) The computer-readable medium according to claim 29, wherein the computer program further causes the computer to execute displaying an effect on an environment caused by the persons assembling to the venue.

31. (Previously Presented) The computer-readable medium according to claim 30, wherein the effect on the environment is CO<sub>2</sub> emission.

32. (Currently Amended) An apparatus for displaying a personal connection map that includes a plurality of nodes representing persons and a plurality of links representing personal connections among the persons and strengths of the personal connections, comprising:

an extracting unit that extracts metadata of the persons from among electronic-data documents that include information about the persons;

a linking unit that links the metadata extracted based on a co-occurring relationship of the information about the persons in the electronic-data documents;

a database that stores therein the metadata linked as secondary metadata;

a retrieving unit that retrieves, from the database, secondary metadata that satisfy a filter condition; and

a displaying unit that displays the personal connection map graphically based on the secondary metadata retrieved.

33. (Previously Presented) The apparatus according to claim 32, wherein the displaying unit displays, when a closed loop is formed by N nodes and N links in the personal connection map, the personal connection map from which a first link representing a weakest personal connection among the N links is eliminated so that the personal connection map has a tree structure and includes the N nodes and N-1 links other than the first link, where N is an integer greater than one.

34. (Previously Presented) The apparatus according to claim 32, wherein the nodes are correlated with a time-line in the personal connection map.

Serial No. 10/780,597

35. (Previously Presented) The apparatus according to claim 32, wherein the displaying unit further displays, when a plurality of nodes are selected from the personal connection map, a suitable venue for assembly of persons represented by the nodes selected.

36. (Previously Presented) The apparatus according to claim 35, wherein the displaying unit further displays an effect on an environment caused by the persons assembling to the venue.

37. (Previously Presented) The apparatus according to claim 36, wherein the effect on the environment is CO<sub>2</sub> emission.